



ELSEVIER

www.elsevier.com/locate/cryogenics

Cryogenics

Index to Volume 41 (2001)

No. 1 (January) pp 1-65

No. 2 (February) pp 67-141

No. 3 (March) pp 143 217

No. 4 (April) pp 219-289

Nos. 5-6 (May June) pp 291-459

No. 7 (July) pp 461-530

No. 8 (August) pp 531-609

No. 9 (September) pp 611-697

No. 10 (October) pp 699-769

Nos. 11-12 (November December) pp 771-877

Article Index (titles in italics refer to Research and technical notes)

Number 1/January

Control of contact resistance by strand surface coating in 36-strand NbTi CICCs

A. Nijhuis, H.H.J. ten Kate,

J.-L. Duchateau and P. Decool

Stress/strain dependence of critical current in Nb₃Sn superconducting wires stabilized with Cu-Nb microcomposites – effect of Nb content K. Kasaba, K. Katagiri, Y. Shoji, T. Takahashi, K. Watanabe, K. Noto, K. Goto, T. Saito and O. Kono 9

Structural safety assessment under the low temperature of KSTAR superconducting magnet-supporting post N.I. Her, J.W. Sa, S. Cho, C.J. Do, C.H. Choi, B.C. Kim, K.H. Im, M. Kyum, W.C. Kim, G.H. Kim, B.J. Yoo, Y.K. Oh, D.L. Kim, M. Kwon, G.S. Lee and KSTAR Team 15

Static and dynamic scaling experiments on double lap shear specimens at room temperature and at 77 K P. Rosenkranz, K. Humer, H.W. Weber, D.H. Pahr and F.G. Rammerstorfer 21

Advanced design approach to the high temperature superconducting magnet Y.-S. Jo. Y.-K. Kim, J.-P. Hong, J. Lee, Y.-K. Kwon and K.-S. Ryu 27 Critical heat flux on a flat plate in pressurized He II H. Tatsumoto, K. Hata, K. Hama,

H. Tatsumoto, K. Hata, K. Hama, Y. Shirai and M. Shiotsu 35

Approach to the shape optimization of racetrack type high temperature superconducting magnet using response surface methodology Y.-K. Kim. Y.-S. Jo. J.-P. Hong and J. Lee 39

Computational study of a 4 K twostage pulse tube cooler with mixed Eulerian-Lagrangian method Y.L. Ju 49

Chaotic study of film boiling in superfluid helium P. Zhang, Y.H. Wu, M. Murakami

Number 2/February

and R.Z. Wang

Editorial: Workshop on AC Losses
O. Tsukamoto 67

Hysteresis losses in thick YBCO films: a linear componential analysis of magnetization in nearly parallel magnetic fields

H. Yamasaki, A. Rastogi and A. Sawa 69

Local calorimetry to measure ac losses in HTS conductors S.P. Ashworth and M. Suenaga 77

Ramp rate dependence of E-I characteristics in Bi2223/Ag HTS tapes

T. Hemmi, T. Okada, A. Ninomiya, T. Ishigohka, K. Arai, H. Yamaguchi, K. Kaibo and K.

H. Yamaguchi, K. Kaiho and K. Kurahashi 91

ac Losses in Bi,Pb(2223) barrier tapes G. Witz, M. Dhallé, R. Passerini, X.-D. Su, Y.B. Huang, A. Erb and R. Flükiger 97

Superconducting-magnetic heterostructures as a new method of decreasing transport AC losses in multifilamentary and coated superconductors

B.A. Glowacki, M. Majoros, N.A. Rutter and A.M. Campbell 103

Electromagnetic behavior and ac loss in a multi-layer superconducting power cable

M. Däumling 111

ac Loss analysis for superconducting generator armatures wound with subdivided Y-Ba-Cu-O coated tape C.E. Oberly, L. Long, G.L. Rhoads and W. James Carr Jr. 117

Study of single dc device type FCL for three-phase power system T. Nonura, M. Yamaguchi, S. Fukui and K. Yokoyama 125

Analyses for inter-strand coupling loss in multi-strand superconducting cable with distributed contact resistance between strands K. Seo, K. Fukuhara and

M. Hasegawa 131

Erratum 139

Number 3/March

Magnetoresistance of RuO₂-based resistance thermometers below 0.3 K M. Watanabe, M. Morishita and Y. Ootuka 143

Cryogenic treatment to augment wear resistance of tool and die steels

D.M. Lal, S. Renganarayanan and A. Kalanidhi 149

Magnetization loss calculation in superconducting power transmission cable

J.-k. Lee and G. Cha 157

Operating properties of superconducting fault current limiters based on YBCO thin films H.-S. Choi, H.-R. Kim and O.-B. Hyun 163

Characteristics of HTS tube depending on heat-treatment conditions Y.-M. Park and G.-E. Jang 169

Hydrostatic pressure anvil cell for electron transport measurements up to 1 GPa under high pulsed magnetic field at liquid helium temperatures

M. Nardone, A. Audouard, D. Vignolles and L. Brossard 17.

R&D project on superconductor power application technologies

Y. Aiyama and T. Ageta 179

Design, fabrication and test of a discrete-foil-type superconducting power supply

H.M. Kim, C. Lee, T.K. Ko, Y.S. Yoon, S.-J. Lee, T.-S. Han and S.-S. Oh 189

Regenerator dynamics in the harmonic approximation II

A.T.A.M. de Waele 195

Development of forced flow cooled current leads for fusion magnets R. Heller, S. Fink, G. Friesinger, A. Kienzler, A. Lingor, G. Schleinkofer, M. Süßer, A. Ulbricht, F. Wüchner and G. Zahn 201

Mechanical behavior of carbon ceramic TVO temperature sensors M. Süβer and F. Wüchner 213

Number 4/April

Static stress effects in superconducting composites. Part I. Effect of uniaxial tensile stress on resistive critical field of Cu–Nb composites V.I. Dotsenko, I.F. Kislyak, V.T. Petrenko, M.A. Tikhonovsky, A.M. Shkilko, L.N. Zagoruiko and L.M. Rogozyanskaya 219

Static stress effects in superconducting composites. Part II. Effect of uniaxial tensile and compressive stresses on critical temperatures of Cu–Nb, Cu–NbTi, and bronze–Nb₃Sn composites

V.I. Dotsenko, I.F. Kislyak, V.T. Petrenko, M.A. Tikhonovsky, A.M. Shkilko, L.N. Zagoruiko and L.M. Rogozyanskaya 225

The numerical calculation of heat transfer performance for annular flow of liquid nitrogen in a vertical annular channel

S. Sun, Y. Wu and R. Zhao 23
A proposal of fast self-acting and recovering magnetic shield type superconducting fault current limiter and the analyses of their characteristics

T. Onishi, K.-i. Sasaki and R. Akimoto 239

Influence of some factors on the damping property of fiber-reinforced epoxy composites at low temperature

P.Q. Zhang, J.H. Ruan and W.Z. Li 245

AC losses and heat removal in threedimensional winding pack of Samsung superconducting test facility under pulsed magnetic field operation

Q. Wang, C.S. Yoon, S. Baang, M. Kim, H. Park, Y. Kim, S. Lee and K. Kim 253

Analytical method for determining critical energies of uncooled super-conductors based on the hyperbolic model of heat conduction

M. Lewandowska and
L. Malinowski 267

Quench distribution in superconducting fault current limiters at various voltages

H.-R. Kim, H.-S. Choi, H.-R. Lim, I.-S. Kim and O.-B. Hyun 275

Single-stage 4-valve and active buffer pulse tube refrigerators H. Pan, A. Hofmann and L. Oellrich 281

Measurement of the low temperature electrical properties of solid tantalum capacitors

M. Trainer 285

Numbers 5-6/May-June

Obituary

US Japan Joint Seminar on Innovative Measurement Techniques in Cryogenics held at the National High Magnetic Field Laboratory, Tallahassee, Florida, 3–6 December

S.W. Van Sciver and

T. Haruyama 293
Diagnostics of coolers with oscillating fluid motion Part I. Single diagnostic quantity
Y. Yoshida, K.V. Ravikumar,

P. Karlmann and

T.H.K. Frederking 295

Diagnostics of coolers with oscillating fluid motion Part II. Entropy generation

T.C. Chuang and T.H.K. Frederking 299

Work flow measurements in a thermoacoustic engine T. Biwa, Y. Ueda, T. Yazaki and

U. Mizutani 305

A simple method for the analysis of sub-Kelvin refrigerators that use a dilute superfluid ³He-⁴He mixture as a working fluid

F.K. Miller and J.G. Brisson 311 Measurements of temperature on LHC

319

thermal models
C. Darve and J. Casas

How to measure void fraction of twophase cryogenic flows Yu.P. Filippor 327

Performance of Peltier elements as a cryogenic heat flux sensor at temperatures down to 60 K T. Haruyama 335

Measurement devices for cryogenic turbulence research C.J. Swanson, S.C. Hall and R.J. Donnelly 341

Techniques for the detection of second sound shock pulses and induced quantum turbulence in He II D.K. Hilton and S.W. Van Sciver 347

Helium II level measurement techniques
D. Celik, D.K. Hilton, T. Zhang and

S.W. Van Sciver 355

Kapitza conductance of an oxidized copper surface in saturated He II A. Iwanoto, R. Maekawa and T. Mito 367

Advanced ac calorimetric technique for thermal diffusivity measurement at cryogenic temperatures

H. Kato, K. Nara and M. Okaji 37 Frictional coefficients of structural

materials in AC superconducting coils N. Sekine, T. Takao, T. Shoji, H. Toyama, K. Kashiwazaki, N. Sugasawa, K. Nakamura,

T. Kashima, A. Yamanaka, M. Takeo and S. Sato 379

Microampere flux pumps for superconducting NMR magnets Part 1: basic concept and microtesla flux measurement

Y. Iwasa 385

Temperature-dependent AC loss and time constant measurements in high-T_c superconductors C. Schmidt 393

Magnetic shielding for sensitive detectors

K. Kamiya, B.A. Warner and M.J. DiPirro 401

SQUID-based high-resolution thermometer

T.C.P. Chui 407

Cryogenic contamination speed for cryogenic laser interferometric gravitational wave detector S. Miyoki, T. Tomaru, H. Ishitsuka, M. Ohashi, K. Kuroda, D. Tatsumi,

T. Uchiyama, T. Suzuki, N. Sato, T. Haruyama, A. Yama noto and

T. Shintomi 415

Application of superfluid shock tube facility to experiments of highly transient low-temperature thermofluid dynamic phenomena H. Nagai, H.S. Yang, Y. Ueta,

M. Murakami, N. Takano and

K. Yanaka 421

Application of laser holography interferometer to heat transport phenomena near the critical point of nitrogen

A. Nakano, M. Shiraishi and M. Murakami 429

Visualization at cryogenic temperatures using a glass fiber bundle J.M. Pfotenhauer, M. Ryul Lee and M.L. Corradini 437

Two-phase visualization at cryogenic temperature

B. Rousset, D. Chatain, D. Beysens and B. Jager 443

Steady-state pressure drop and heat transfer in He II forced flow at high Reynolds number S. Fuzier, B. Baudouy and S.W. Van Sciver 453

Number 7/July

Flywheel energy storage system with a horizontal axle mounted on high T_c superconductor bearings T.H. Sung, J.S. Lee, Y.H. Han, S.C. Han, C.J. Kim, G.W. Hong, S.K. Choi, Y.C. Kim and S.J. Kim 461

Proposal of saturated DC reactor type superconducting fault current limiter (SFCL)

T. Hoshino, K.M. Salim, M. Nishikawa, I. Muta and T. Nakamura 469

Effect of welding structure on highcycle and low-cycle fatigue properties for MIG welded A5083 aluminum alloys at cryogenic temperatures

T. Yuri, T. Ogata, M. Saito and Y. Hirayama 475

Helium vapor-cooled brass current leads: experimental and analytical results

H. Lee, P. Arakawa, K.R. Efferson and Y. Iwasa 485

Helium liquefaction with a 4 K pulse tube cryocooler C. Wang 491

Numerical calculations for Peltier current lead designing K. Sato, H. Okumura and

S. Yamaguchi 497

Vickers hardness properties of structural materials for superconducting magnet at cryogenic temperatures Y. Yoshino, A. Iwabuchi, R. Onodera, A. Chiba, K. Katagiri

R. Onodera, A. Chiba, K. Katagiri and T. Shimizu 505

Thermodynamic analysis of GM-type pulse tube coolers Y.L. Ju 513

Peltier cooling of superconducting current leads

F.K. Gehring, M.E. Hüttner and R.P. Huebener 521

Number 8/August

Current limitation based on bulk YBaCuO meanders E. Floch, D. Buzon, D. Isfort, L. Porcar, X. Chaud, P. Tixador, D. Bourgault and R. Tournier 531

Development of a 20 kA high temperature superconductor current lead

R. Heller, G. Friesinger, A.M. Fuchs, T. Mito, S. Satoh, K. Takahata, M. Tasca and M. Vogel 539

Computer-aided design of nitrogen-free helium cryostats

V.V. Eremenko, N.I. Makedonskaya, P.G. Makedonskaya and

V.A. Sirenko 549

Fiber bolometer and emitter with negligible reflection for second sound measurements near the \(\bar{\chi}\)-point D. Rinberg and M.L. Rappaport 557

Influence of current redistribution on quench propagation velocity in Rutherford cable

K. Sasaki, T. Ogitsu, T. Nakamoto, K. Tsuchiya, T. Shintomi, H. Yonekawa and N. Amemiya 563

One-dimensional models for heat and mass transfer in pulse-tube refrigerators

W.R. Smith 573 Analytical studies on the hotspot tem-

perature of cable-in-conduit conductors

K. Yoshida, H. Takiyami and

K. Yoshida, H. Takigami and H. Kubo 583

A thermoacoustically driven pulse tube refrigerator capable of working below 120 K
T. Jin, G.B. Chen and Y. Shen

The thermal conductivity of C17510 beryllium-copper alloy below 1 K A. Woodcraft, R.V. Sudiwala and R.S. Bhatia 603

A capacitance temperature sensor for the liquid nitrogen region L. Jansak 607

Number 9/September

Design and loss calculations of a 100-kVA transformer employing multi-filamentary Bi-2223 Ag sheathed superconducting tapes F. Darmann 611

Development and testing of superfluidcooled 900 MHz NMR magnet H. Nagai, A. Sato, T. Kiyoshi, F. Matsumoto, H. Wada, S. Ito, T. Miki, M. Yoshikawa, Y. Kawate and S. Fukui 623

- Critical current evaluation of BSCCO stacked tapes
 - W. Nah, J. Kang, B.-S. Kim, M.-C. Shin, J. Joo and J. You
- Electrically driven 4He-circulating dilution refrigerator for cooling aboard spacecraft
 - S.N. Burmistrov and T. Satoh
- General 2D equation for coupling currents in a flat superconducting cable subjected to a time-dependent magnetic field in the face-on orientation A.A. Akhmetov 649
- Interference characterisation of a commercial Joule-Thomson cooler to be used in a SQUID-based foetal heart monitor
 - M.R. Bangma, A.P. Rijpma, E. de Vries, H.A. Reincke, H.J. Holland, H.J.M. ter Brake and H. Rogalla 657
- Stability and quench development study in small HTSC magnet Yu. A. Ilyin, V.S. Vysotsky, T. Kiss, M. Takeo, H. Okamoto and F. Irie 665
- Fabrication of YBa2Cu3O7-x film by metalorganic deposition method using trifluoroacetates and its process conditions
 - T. Araki, K. Yamagiwa and I. Hirabayashi 675
- Monte-Carlo simulation to the tensile mechanical behaviors of unidirectional composites at low tempera-
- X.F. Wang and J.H. Zhao Performance improvement of a pulse tube cooler below 4 K by use of GdAlO₁ regenerator material L.M. Qiu, T. Numazawa and G. Thummes

Number 10/October

- Numerical simulation of convergent and divergent tapered pulse tube cryocoolers and experimental verification
 - H. Yaling, G. Chengming,
 - X. Mingyao, C. Zhongqi and T. Wenguan 699
- Required accuracy of inductance measurement for current imbalance phenomena

- S. Yamaguchi, S. Takayama,
- Y. Hasegawa, A. Ninomiya,
- K. Nakamura, H. Okumura and R. Shimada 705
- Correlationship between J_{1C} and equivalent fracture strain determined by small-punch tests in JN1, JJ1 and JK2 austenitic stainless
 - M.L. Saucedo-Munoz. S.C. Liu. T. Hashida, H. Takahashi and H. Nakajima
- AC losses in high-temperature superconducting tapes exposed to longitudinal magnetic fields N. Magnusson and A. Wolfbrandt
- 721 Description of removable sample mount apparatus for rapid thermal conductivity measurements A.L. Pope, B. Zawilski and T.M. Tritt 725
- AC loss in cored, stabrite-coated, superconducting cables in response to external compaction and variation of core thickness and width M.D. Sumption, E.W. Collings, R.M. Scanlan, S.W. Kim, M. Wake, T. Shintomi, A. Nijhuis and H.H.J. ten Kate
- Low-temperature dielectric properties of doped SrTiO3 single crystals and valency of ions
 - N. Kulagin, J. Dojcilovic and D. Popovic 745
- Numerical model of free warm expander pulse tube cooler M.C. Brito and G.D. Peskett 751
- Experimental analysis of free warm expander pulse tube
- M.C. Brito and G.D. Peskett Eliminating the vibrational noise in continuously filled 1 K pots
- A. Raccanelli, L.A. Reichertz and E. Krevsa 763 Announcement 767
- Numbers 11-12/November-December
- Structural analysis of a cryogen-free refrigerator for space
 - M.R. Emes, I.D. Hepburn, R.J. Ray and L.B.C. Worth
- The HAWC and SAFIRE adiabatic demagnetization refrigerators J. Tuttle, P. Shirron, M. DiPirro, M. Jackson, J. Behr, K. Kamiya,

- B. Warner, E. Kunes and T. Hait 781
- A compact, high-performance continuous magnetic refrigerator for space missions
 - P. Shirron, E. Canavan, M. DiPirro, M. Jackson, T. King, J. Panek and J. Tuttle
- Design and manufacture of ultra-lowmass, cryogenic heat exchangers A. Boman and D. Doty
- Convective heat transfer coefficients for near-horizontal two-phase flow of nitrogen and hydrogen at low mass and heat flux
 - N.T. Van Dresar, J.D. Siegwarth and M.M. Hasan 805
- Progress on a small multi-cycling cryogenic fluid flow valve M. Weilert, I. Hahn, M. Barmatz.
- D. Higham and G. Frodsham Investigation of technique for measuring liquid volume under microgravity conditions
 - A. Nakano and M. Murakami
- Effect of sloshing on the mechanics of dewar systems in low-gravity 825 H.A. Snyder
- An overview of NASA efforts on zero boiloff storage of cryogenic pro-
- L.J. Hastings, D.W. Plachta, L. Salerno and P. Kittel
- Propellant preservation using re-liquefiers P. Kittel
- Cryocooler reliability issues for space applications
- E.D. Marquardt 845 The effects of cryocooler microphonics, EMI and temperature variations on
 - bolometric detectors R.S. Bhatia, P.A.R. Ade, T.W. Bradshaw, M.R. Crook,
 - M.J. Griffin and A.H. Orlowska
- Performance comparisons of space borne cryostats
 - W. Holmes, H. Cho, I. Hahn, M. Larson, R. Schweickart and S. Vol= 865
- Analysis of helium II thermal links for instrument cooling in low gravity G. L. Millss 871
- Erratum 877
- Index

Author Index

Ade, P.A.R., 851 Ageta, T., 179 Aiyama, Y., 179 Akhmetov, A.A., 649 Akimoto, R., 239 Amemiya, N., 563 Arai, K., 91 Arakawa, P., 485 Araki, T., 675 Ashworth, S.P., 77 Audouard, A., 175

Baang, S., 253 Bangma, M.R., 657 Barmatz, M., 813 Baudouy, B., 453 Behr, J., 781 Beysens, D., 443 Bhatia, R.S., 603, 851 Biwa, T., 305 Boman, A., 797 Bourgault, D., 531 Bradshaw, T.W., 851 Brisson, J.G., 311 Brito, M.C., 751, 757 Brossard, L., 175 Burmistrov, S.N., 637 Buzon, D., 531

Campbell, A.M., 103 Canavan, E., 789 Casas, J., 319 Celik, D., 355 Cha, G., 157 Chatain, D., 443 Chaud, X., 531 Chen, G.B., 595 Chengming, G., 699 Chiba, A., 505 Cho, H., 865 Cho, S., 15 Choi, C.H., 15 Choi, H.-S., 163, 275 Choi, S.K., 461 Chuang, T.C., 299 Chui, T.C.P., 407 Collings, E.W., 733 Corradini, M.L., 437 Crook, M.R., 851

Däumling, M., 111 Darmann, F., 611 Darve, C., 319 de Vries, E., 657 de Waele, A.T.A.M., 195 Decool, P., 1 Dhallé, M., 97 DiPirro, M., 781, 789 DiPirro, M.J., 401 Do, C.J., 15 Dojcilovic, J., 745 Donnelly, R.J., 341 Dotsenko, V.I., 219, 225 Doty, D., 797 Duchateau, J.-L., 1

Efferson, K.R., 485 Emes, M.R., 771 Erb, A., 97 Eremenko, V.V., 549

Filippov, Yu.P., 327
Fink, S., 201
Flükiger, R., 97
Floch, E., 531
Frederking, T.H.K., 295, 299
Friesinger, G., 201, 539
Frodsham, G., 813
Fuchs, A.M., 539
Fukuhara, K., 131
Fukui, S., 125, 623
Fuzier, S., 453

Gehring, F.K., 521 Glowacki, B.A., 103 Goto, K., 9 Griffin, M.J., 851

Hahn, I., 813, 865 Hait, T., 781 Hall, S.C., 341 Hama, K., 35 Han, S.C., 461 Han, T.-S., 189 Han, Y.H., 461 Haruyama, T., 293, 335, 415 Hasan, M.M., 805 Hasegawa, M., 131 Hasegawa, Y., 705 Hashida, T., 713 Hastings, L.J., 833 Hata, K., 35 Heller, R., 201, 539 Hemmi, T., 91

Hepburn, I.D., 771 Her, N.I., 15 Higham, D., 813 Hilton, D.K., 347, 355 Hirabayashi, I., 675 Hirayama, Y., 475 Hofmann, A., 281 Holland, H.J., 657 Holmes, W., 865 Hong, G.W., 461 Hong, J.-P., 27, 39 Hoshino, T., 469 Huang, Y.B., 97 Huebener, R.P., 521 Humer, K., 21 Hüttner, M.E., 521 Hyun, O.-B., 163, 275

Ilyin, Yu. A., 665 Im, K.H., 15 Irie, F., 665 Isfort, D., 531 Ishigohka, T., 91 Ishitsuka, H., 415 Ito, S., 623 Iwabuchi, A., 505 Iwamoto, A., 367 Iwasa, Y., 385, 485

Jackson, M., 781, 789 Jager, B., 443 James Carr Jr., W., 117 Jang, G.-E., 169 Jansak, L., 607 Jin, T., 595 Jo, Y.-S., 27, 39 Joo, J., 631 Ju, Y.L., 49, 513

Kaiho, K., 91
Kalanidhi, A., 149
Kamiya, K., 401, 781
Kang, J., 631
Karlmann, P., 295
Kasaba, K., 9
Kashima, T., 379
Kashiwazaki, K., 379
Katagiri, K., 9, 505
Kato, H., 373
Kawate, Y., 623
Kienzler, A., 201
Kim, B.-S., 631

Kim, B.C., 15 Kim, C.J., 461 Kim, D.L., 15 Kim, G.H., 15 Kim, H.-R., 163, 275 Kim, H.M., 189 Kim, I.-S., 275 Kim, K., 253 Kim, M., 253 Kim, S.J., 461 Kim, S.W., 733 Kim, W.C., 15 Kim, Y., 253 Kim, Y.C., 461 Kim, Y.-K., 27, 39 King, T., 789 Kislyak, I.F., 219, 225 Kiss, T., 665 Kittel, P., 833, 841 Kiyoshi, T., 623 Ko, T.K., 189 Kono, O., 9 Kreysa, E., 763 KSTAR Team, 15 Kubo, H., 583 Kulagin, N., 745 Kunes, E., 781 Kurahashi, K., 91 Kuroda, K., 415 Kwon, M., 15 Kwon, Y.-K., 27 Kyum, M., 15

Lal, D.M., 149 Larson, M., 865 Lee, C., 189 Lee, G.S., 15 Lee, H., 485 Lee, J., 27, 39 Lee, J.-k., 157 Lee, J.S., 461 Lee, S., 253 Lee, S.-J., 189 Lewandowska, M., 267 Li, W.Z., 245 Lim, H.-R., 275 Lingor, A., 201 Liu, S.C., 713 Long, L., 117

Maekawa, R., 367 Magnusson, N., 721 Majoros, M., 103 Makedonskaya, N.I., 549 Makedonskaya, P.G., 549
Malinowski, L., 267
Marquardt, E.D., 845
Matsumoto, F., 623
Miki, T., 623
Miller, F.K., 311
Mills, G.L., 871
Mingyao, X., 699
Mito, T., 367, 539
Miyoki, S., 415
Mizutani, U., 305
Morishita, M., 143
Murakami, M., 59, 421, 429, 817
Muta, I., 469

Nagai, H., 421, 623 Nah, W., 631 Nakajima, H., 713 Nakamoto, T., 563 Nakamura, K., 379, 705 Nakamura, T., 469 Nakano, A., 429, 817 Nara, K., 373 Nardone, M., 175 Nijhuis, A., 1, 733 Ninomiya, A., 91, 705 Nishikawa, M., 469 Nomura, T., 125 Noto, K., 9 Numazawa, T., 693

Oberly, C.E., 117 Oellrich, L., 281 Ogata, T., 475 Ogitsu, T., 563 Oh, S.-S., 189 Oh, Y.K., 15 Ohashi, M., 415 Okada, T., 91 Okaji, M., 373 Okamoto, H., 665 Okumura, H., 497, 705 Onishi, T., 239 Onodera, R., 505 Ootuka, Y., 143 Orlowska, A.H., 851

Pahr, D.H., 21 Pan, H., 281 Panek, J., 789 Park, H., 253 Park, Y.-M., 169 Passerini, R., 97 Peskett, G.D., 751, 757 Petrenko, V.T., 219, 225 Pfotenhauer, J.M., 437 Plachta, D.W., 833 Pope, A.L., 725 Popovic, D., 745 Porcar, L., 531

Qiu, L.M., 693

Raccanelli, A., 763 Rammerstorfer, F.G., 21 Rappaport, M.L., 557 Rastogi, A., 69 Ravikumar, K.V., 295 Ray, R.J., 771 Reichertz, L.A., 763 Reincke, H.A., 657 Renganarayanan, S., 149 Rhoads, G.L., 117 Rijpma, A.P., 657 Rinberg, D., 557 Rogalla, H., 657 Rogozyanskaya, L.M., 219, 225 Rosenkranz, P., 21 Rousset, B., 443 Ruan, J.H., 245 Rutter, N.A., 103 Ryu, K.-S., 27 Ryul Lee, M., 437

Sa, J.W., 15 Saito, M., 475 Saito, T., 9 Salerno, L., 833 Salim, K.M., 469 Sasaki, K., 563 Sasaki, K.-i., 239 Sato, A., 623 Sato, K., 497 Sato, N., 415 Sato, S., 379 Satoh, S., 539 Satoh, T., 637 Saucedo-Muñoz, M.L., 713 Sawa, A., 69 Scanlan, R.M., 733 Schleinkofer, G., 201 Schmidt, C., 393 Schweickart, R., 865 Sekine, N., 379 Seo, K., 131 Shen, Y., 595 Shimada, R., 705

Shimizu, T., 505 Shin, M.-C., 631 Shintomi, T., 415, 563, 733 Shiotsu, M., 35 Shirai, Y., 35 Shiraishi, M., 429 Shirron, P., 781, 789 Shkilko, A.M., 219, 225 Shoji, T., 379 Shoji, Y., 9 Siegwarth, J.D., 805 Sirenko, V.A., 549 Smith, W.R., 573 Snyder, H.A., 825 Su, X.-D., 97 Sudiwala, R.V., 603 Suenaga, M., 77 Sugasawa, N., 379 Sumption, M.D., 733 Sun, S., 231 Sung, T.H., 461 Süßer, M., 201, 213 Suzuki, T., 415 Swanson, C.J., 341

Takahashi, H., 713
Takahashi, T., 9
Takahata, K., 539
Takano, N., 421
Takao, T., 379
Takayama, S., 705
Takeo, M., 379, 665
Takigami, H., 583
Tasca, M., 539
Tatsumi, D., 415
Tatsumoto, H., 35
ten Kate, H.H.J., 1, 733
ter Brake, H.J.M., 657
Thummes, G., 693

Tikhonovsky, M.A., 219, 225 Tixador, P., 531 Tomaru, T., 415 Tournier, R., 531 Toyama, H., 379 Trainer, M., 285 Tritt, T.M., 725 Tsuchiya, K., 563 Tsukamoto, O., 67 Tuttle, J., 781, 789

Uchiyama, T., 415 Ueda, Y., 305 Ueta, Y., 421 Ulbricht, A., 201

Van Dresar, N.T., 805 Van Sciver, S.W., 293, 347, 355, 453 Vignolles, D., 175 Vogel, M., 539 Volz, S., 865 Vysotsky, V.S., 665

Wüchner, F., 201
Wada, H., 623
Wake, M., 733
Wang, C., 491
Wang, Q., 253
Wang, R.Z., 59
Wang, X.F., 683
Warner, B., 781
Warner, B.A., 401
Watanabe, K., 9
Watanabe, M., 143
Weber, H.W., 21
Weilert, M., 813
Wenquan, T., 699
Witz, G., 97

Wolfbrandt, A., 721 Woodcraft, A., 603 Worth, L.B.C., 771 Wu, Y., 231 Wu, Y.H., 59 Wüchner, F., 213

Yaling, H., 699 Yamagiwa, K., 675 Yamaguchi, H., 91 Yamaguchi, M., 125 Yamaguchi, S., 497, 705 Yamamoto, A., 415 Yamanaka, A., 379 Yamasaki, H., 69 Yanaka, K., 421 Yang, H.S., 421 Yazaki, T., 305 Yokoyama, K., 125 Yonekawa, H., 563 Yoo, B.J., 15 Yoo, J., 631 Yoon, C.S., 253 Yoon, Y.S., 189 Yoshida, K., 583 Yoshida, Y., 295 Yoshikawa, M., 623 Yoshino, Y., 505 Yuri, T., 475

Zagoruiko, L.N., 219, 225 Zahn, G., 201 Zawilski, B., 725 Zhang, P., 59 Zhang, P.Q., 245 Zhang, T., 355 Zhao, J.H., 683 Zhao, R., 231 Zhongqi, C., 699

Keyword

A.c. loss, 649 ac losses, 97, 103, 253, 721 AC-loss measurement, 393 Accelerated testing, 845 Adiabatic demagnetisation refrigerator, 771 Adiabatic demagnetization, Adiabatic demagnetization refrigerator, 781 ADR, 401 Aluminum alloy, 475 Angular dependence, 69 Annular channel, 231 Annular flow, 231 Asymptotics, 573 Austenitic stainless steel, 713

Bearing, 461
Beryllium-copper, 603
Bi-2212, 169
Bias power supply, 125
Bridge type, 469
BSCCO tapes, 631

Cable-in-conduit, 1 Calorimetric measuring technique, 393 Centrifugal forming process (CFP), 169 CFRP, 15 Chaotic analysis method, 59 Chemically oxidized copper, 367 CICC, 253, 583 Circuit simulation, 111 Closed cycle refrigerator, 725 Coated conductors, 103 Coatings, 1 Compaction, 733 Composites, 245 Computational study, 49 Computer-aided design, 549 Contact resistance, 131 Continuous, 789 Core thickness, 733 Core width, 733 Cored Rutherford cable, 733 Coupling loss, 1, 733 Critical current, 9 Critical current degradation, 631

Critical current density, 97 Critical current of stacked tapes, 631 Critical energy, 267 Critical heat flux (CHF), 437 Critical temperature, 225 Cryocooler, 491, 657 Cryocooler reliability, 845 Cryocoolers, 195 Cryogenic contamination, 415 Cryogenic mechanical behaviors, 683 Cryogenic temperature, 505, Cryogenic temperatures, 475, 713 Cryogenic valves, 813 Cryogenics, 213, 699 Cryostats, 285, 319, 623 Cryotiger, 657 Cryotreatment, 149 Cu-Nb reinforcement, 9 Current lead, 497 Current limitation, 531 Current limiting and thermal characteristics, 239 Current redistribution, 563 Current sharing, 157 Cycle optimization, 295, 299

Damping, 245 Die steels, 149 Dielectric constant, 745 Dielectric properties, 285 Discrete-Nb foil type, 189

Eddy currents, 649 E-I characteristics, 91 Electromagnetic interference,

Fatigue properties, 21
Fault angle, 163
Fault current limiter, 125, 239, 275, 469
Fiber reinforced plastic, 379
Film boiling, 59
Finesse, 415
Finite element method, 91, 611
Flow meters, 305
Fluctuations, 407
Fluid dynamics, 295, 347, 825

Flux pump, 385
Flywheel energy storage
system, 461
Foetal magnetocardiography,
657
Forced flow, 453
Forward coupled converter,
125
Fracture toughness, 713
Frictional coefficient, 379
Fully penetrated ac loss, 117
Fusion, 583

Gifford-McMahon, 281, 299 Glass fiber bundle, 437 GM-type, 513 Growth conditions, 745

⁴He-dilution refrigerator, 637 ³He-⁴He liquid mixtures, 637 ³He systems, 851 He I, 327 He II, 327, 355, 421 He II systems, 319, 623 Heat capacity, 693 Heat exchanger, 797 Heat exchangers, 319 Heat leak, 497 Heat transfer, 35, 347, 453, 797, 805, 871 Heat transfer coefficient, 231 Helium liquefaction, 491 Helmholtz resonance, 817 High T_c superconductors, 531 High temperature superconducting generator, 27 High- T_c superconductor, 169, High- T_c superconductors, 393 High-cycle fatigue property, High-resolution thermometer, 407 Hot film anemometer, 341 Hotspot, 583 HTS inserts for high-field NMR magnets, 385 HTS tape, 721 HTS tapes, 91

HTSC, 281

Hydrogen, 327

HTSC magnets, 665

Hydrostatic pressure anvil cell, 175 Hydrostatic pressure load, 213 Hysteresis loss, 69 Hysterises losses, 611

In situ Cu–Nb composites, 219
Index dissipation, 385
Infrared detectors, 851
Instrumentation, 295, 299, 327, 335
Insulation, 21
Inter-strand coupling losses, 131
Interferometric gravitational wave detector, 415
Interlaminar shear strength, 21
Interstrand contact resistance, 1, 733
Iron plates, 27
ITER, 583

Joule-Thomson coolers, 851

Kapitza boundary resistance, 557 Kapitza conductance, 367 KSTAR, 15

Laser holography interferometer, 429
Level measurement, 355
Levitation, 461
Life testing, 845
Light-emitting diode (LED), 437
Liquid helium, 341, 355, 693, 865
Liquid nitrogen, 437, 607
Liquid volume measurement, 817
Long-term storage, 841

Longitudinal magnetic field, 721 Losses, 111 Low temperature, 245, 789 Low-cycle fatigue property, 475

Long-time stability, 213

LTS load magnet, 189 Lyapunov exponent, 59

Magnetic cooling, 781 Magnetic field distribution, 563 Magnetic refrigeration, 789 Magnetic screening, 103 Magnetization, 69 Magnetization loss, 157 Magnetoresistance, 143 Magnetotransport measurements, 175 Mass gauging, 355 Mechanical interference, 657 Mechanical property, 9 Melt processing, 461 Melt textured YBaCuO, 531 Metalorganic deposition, 675 Micro-gravity, 817 Microgravity, 637 MIG weld, 475 MISTE, 813 Monte-Carlo simulation, 683 Multi-strand superconducting cables, 131 Multifilament wires and tapes, 97 Multifilamentary superconductors, 103

National RD project, 179
NbTi superconducting cables, 1
Nb₃Sn, 9
Nitrogen-free helium vessel, 549
NMR magnets, 623
Numerical simulation, 699

Multifilamentary wire, 9

Optimization, 39 Optimum design, 611

Passive shielding, 401 Peltier effect, 497 Phase transitions, 35 Piston effect, 429 Plastic deformation, 505 λ-point, 557 1 K pot, 763 Power factor, 163 Power leadless supply, 189 Pressure sensors, 305 Pressure transducer, 341 Pulse tube, 281, 295, 491, 693, 751, 757 Pulse tube cooler, 513 4 K-pulse tube cooler, 49 Pulse tube cryocooler, 699 Pulse tube refrigerator, 595

Pulse tubes, 195, 573 Pulsed magnetic fields, 175 Pumping rate, 189

Quasi-three-dimensional model, 253 Quench, 275, 583, 665 Quench propagation velocity, 563

Racetrack HTS magnet, 27 Racetrack type high temperature magnet, 39 Ramp rate dependence, 91 Rapid measurement, 725 Recovery time, 163 Rectification type limiter, 125 Recuperator, 797 Reflectance, 415 10 mK refrigeration, 771 Refrigerant storage, 549 Refrigeration in space, 771 Regenerator, 281 Regenerators, 195, 573, 693, 751, 757 Resistive critical field, 219 Response surface methodology, 39 Rotating magnetic flux pump, Ruthenium oxide resistance thermometers, 143

SAFIRE, 401 Saturated DC reactor, 469 Saturated He II, 367 Self-heating, 557 Semiconductors, 335 Shape effect, 69 Skin effect, 91 SOFIA, 401 Solid hydrogen, 865 Solid neon, 865 Space cryogenics, 805, 813, 825, 841, 851, 865, 871 SQUID, 407, 657 Stability, 267, 379, 665 State-space, 59 Stirling, 295 Strain effect, 9 Stress effects, 219, 225 Strontium titanate, 745 Sub-Kelvin, 603 Superconducting, 583

- Superconducting armature, 117
- Superconducting cable, 649 Superconducting cables, 111 Superconducting composites,
- 225 Superconducting fault current limiter, 163
- Superconducting generator, 179
- Superconducting magnet, 253, 421
- Superconducting transformer, 611
- Superconductive temperature sensor, 421
- Superconductor, 469
- Superconductor power applications, 179
- Superconductors, 267
- Supercritical nitrogen, 429 Superfluid helium, 35, 59, 347,
- 453, 623, 763, 871 Superfluid helium (He II), 299
- Superfluid helium (He II), 299
 Superfluid shock tube facility,
 421
- Supporting post, 15

- Tapered pulse tube, 699 Temperature and pressure
- oscillations, 59
 Temperature dependence,
 393, 745
- 393, 745 Temperature fluctuations, 657 Temperature sensor, 213
- Temperature sensors, 319, 347, 607
- Test facility, 253
- Thermal conductivity, 603, 725
- Thermal cycling, 213 Thermal shock wave, 421
- Thermoacoustics, 305, 595
- Thermodynamic analysis, 513
- Thermodynamics, 195
 Thermometry at very low
- temperatures, 143
- Thick-film chip resistors, 143 Thin films, 285, 347
- Time constant measurement, 393
- Titanium 15-3-3, 781 Tool steels, 149
- Transient thermal analysis, 253
- Transmission cable, 157

- Transport current loss, 157 Trifluoroacetate, 675 Two-phase flow, 327, 805, 825 Two-stage, 49
- Ultra-low loss dielectric multilayer coating mirror, 415 Unidirectional composites, 683
- Valency, 745 Vibrations, 763 Vickers hardness, 505
- Wear resistance, 149 Welding structure, 475
- Y123 superconductor, 461 YBa₂Cu₃O₇ films, 275 YBCO superconductor, 675 YBCO tape, 117 YBCO thick films, 69
- Zero boiloff, 841

